



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

SERIAL NUMBER	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
08/714,987	09/17/98	SHARKEY	

QM41/0629

PAUL DAVIS
WILSON SONSINI GOODRICH & ROSATI
650 PAGE MILL ROAD
PALO ALTO CA 94034

EXAMINER

SHAY, D

ART UNIT

PAPER NUMBER

3736

9

06/29/98

DATE MAILED:

This is a communication from the examiner in charge of your application.
COMMISSIONER OF PATENTS AND TRADEMARKS

☒ This application has been examined ☒ Responsive to communication filed on April 21, 1998 ☒ This action is made final.

A shortened statutory period for response to this action is set to expire 3 month(s), — days from the date of this letter.
Failure to respond within the period for response will cause the application to become abandoned. 35 U.S.C. 133

Part I THE FOLLOWING ATTACHMENT(S) ARE PART OF THIS ACTION:

- ☐ Notice of References Cited by Examiner, PTO-892.
- ☐ Notice of Draftsman's Patent Drawing Review, PTO-948.
- ☐ Notice of Art Cited by Applicant, PTO-1449.
- ☐ Notice of Informal Patent Application, PTO-152.
- ☐ Information on How to Effect Drawing Changes, PTO-1474.
- ☐

Part II SUMMARY OF ACTION

1. ☒ Claims 1-44 are pending in the application.

Of the above, claims 30-44 are withdrawn from consideration.

- ☐ Claims _____ have been cancelled.
- ☐ Claims _____ are allowed.
- ☒ Claims 1-29 are rejected.
- ☐ Claims _____ are objected to.
- ☐ Claims _____ are subject to restriction or election requirement.
- ☐ This application has been filed with informal drawings under 37 C.F.R. 1.85 which are acceptable for examination purposes.
- ☐ Formal drawings are required in response to this Office action.
- ☐ The corrected or substitute drawings have been received on _____. Under 37 C.F.R. 1.84 these drawings are ☐ acceptable; ☐ not acceptable (see explanation or Notice of Draftsman's Patent Drawing Review, PTO-948).
- ☐ The proposed additional or substitute sheet(s) of drawings, filed on _____, has (have) been ☐ approved by the examiner; ☐ disapproved by the examiner (see explanation).
- ☐ The proposed drawing correction, filed _____, has been ☐ approved; ☐ disapproved (see explanation).
- ☐ Acknowledgement is made of the claim for priority under 35 U.S.C. 119. The certified copy has ☐ been received ☐ not been received ☐ been filed in parent application, serial no. _____; filed on _____.
- ☐ Since this application appears to be in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11; 453 O.G. 213.
- ☐ Other

EXAMINER'S ACTION

Art Unit: 3736

The rejection set forth in the previous Office action are hereby repeated.

The examiner notes that both Edwards et al and Makower disclose device which require traumatic incertion into tissue, this not only is the intertitral fluid inherently contained in the tissue prevent, but also blood. Even in the absence of blood, air, also a fluid, would be present.

It is further noted that requiring that the distal, portion be "configured to be positioned at an interface between fluid medium and the selected sits" does not ^{provide} additional structure to the device. Even if a further limitaion were construe^d, the devices of Edwards et al and Makower are also so configured, since they will not be destroyed or rendered non-functional by such positioning.

Applicant's arguments filed April 21, 1998 have been fully considered but they are not persuasive.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

Serial Number: 08/214,987

Page 3

Art Unit: 3736

however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication should be directed to David Shay at telephone number (703) 308-2215.

David Shay:bhw
June 23, 1998



DAVID M. SHAY
PRIMARY EXAMINER
GROUP 330